

$$\int \text{ArcSinh}[a + b x]^n dx$$

■ Reference: CRC 579, A&S 4.6.43

■ Derivation: Integration by parts

■ Rule:

$$\int \text{ArcSinh}[a + b x] dx \rightarrow \frac{(a + b x) \text{ArcSinh}[a + b x]}{b} - \frac{\sqrt{1 + (a + b x)^2}}{b}$$

■ Program code:

```
Int[ArcSinh[a_.+b_.*x_],x_Symbol] :=
  (a+b*x)*ArcSinh[a+b*x]/b - Sqrt[1+(a+b*x)^2]/b /;
FreeQ[{a,b},x]
```

■ Derivation: Iterated integration by parts

■ Rule: If $n > 1$, then

$$\int \text{ArcSinh}[a + b x]^n dx \rightarrow \frac{(a + b x) \text{ArcSinh}[a + b x]^n}{b} - \frac{n \sqrt{1 + (a + b x)^2} \text{ArcSinh}[a + b x]^{n-1}}{b} + n(n-1) \int \text{ArcSinh}[a + b x]^{n-2} dx$$

■ Program code:

```
Int[ArcSinh[a_.+b_.*x_]^n_,x_Symbol] :=
  (a+b*x)*ArcSinh[a+b*x]^n/b -
  n*Sqrt[1+(a+b*x)^2]*ArcSinh[a+b*x]^(n-1)/b +
  Dist[n*(n-1),Int[ArcSinh[a+b*x]^(n-2),x]] /;
FreeQ[{a,b},x] && RationalQ[n] && n>1
```

■ **Derivation: Integration by substitution**

■ **Basis:** $\frac{1}{\text{ArcSinh}[z]} = \frac{\text{Cosh}[\text{ArcSinh}[z]]}{\text{ArcSinh}[z]} \text{ArcSinh}'[z]$

■ **Rule:**

$$\int \frac{1}{\text{ArcSinh}[a + b x]} dx \rightarrow \frac{\text{CoshIntegral}[\text{ArcSinh}[a + b x]]}{b}$$

■ **Program code:**

```
Int[1/ArcSinh[a_+b_.*x_],x_Symbol] :=
  CoshIntegral[ArcSinh[a+b*x]]/b /;
FreeQ[{a,b},x]
```

■ **Derivation: Integration by substitution**

■ **Basis:** $\frac{1}{\text{ArcSinh}[z]^2} = \frac{\text{Cosh}[\text{ArcSinh}[z]]}{\text{ArcSinh}[z]^2} \text{ArcSinh}'[z]$

■ **Rule:**

$$\int \frac{1}{\text{ArcSinh}[a + b x]^2} dx \rightarrow -\frac{\sqrt{1 + (a + b x)^2}}{b \text{ArcSinh}[a + b x]} + \frac{\text{SinhIntegral}[\text{ArcSinh}[a + b x]]}{b}$$

■ **Program code:**

```
Int[1/ArcSinh[a_+b_.*x_]^2,x_Symbol] :=
  -Sqrt[1+(a+b*x)^2]/(b*ArcSinh[a+b*x]) + SinhIntegral[ArcSinh[a+b*x]]/b /;
FreeQ[{a,b},x]
```

■ **Derivation: Integration by substitution**

■ **Basis:** $\frac{1}{\sqrt{\text{ArcSinh}[z]}} = \frac{\text{Cosh}[\text{ArcSinh}[z]]}{\sqrt{\text{ArcSinh}[z]}} \text{ArcSinh}'[z]$

■ **Rule:**

$$\int \frac{1}{\sqrt{\text{ArcSinh}[a + b x]}} dx \rightarrow \frac{\sqrt{\pi} \text{Erf}\left[\sqrt{\text{ArcSinh}[a + b x]}\right]}{2 b} + \frac{\sqrt{\pi} \text{Erfi}\left[\sqrt{\text{ArcSinh}[a + b x]}\right]}{2 b}$$

■ **Program code:**

```
Int[1/Sqrt[ArcSinh[a_+b_.*x_]],x_Symbol] :=
  Sqrt[Pi]*Erf[Sqrt[ArcSinh[a+b*x]]]/(2*b) +
  Sqrt[Pi]*Erfi[Sqrt[ArcSinh[a+b*x]]]/(2*b) /;
FreeQ[{a,b},x]
```

- Derivation: Integration by parts

- Rule:

$$\int \sqrt{\text{ArcSinh}[a + b x]} \, dx \rightarrow \frac{(a + b x) \sqrt{\text{ArcSinh}[a + b x]}}{b} + \frac{\sqrt{\pi} \, \text{Erf}\left[\sqrt{\text{ArcSinh}[a + b x]}\right]}{4 b} - \frac{\sqrt{\pi} \, \text{Erfi}\left[\sqrt{\text{ArcSinh}[a + b x]}\right]}{4 b}$$

- Program code:

```
Int[Sqrt[ArcSinh[a_.+b_.*x_]],x_Symbol] :=
  (a+b*x)*Sqrt[ArcSinh[a+b*x]]/b +
  Sqrt[Pi]*Erf[Sqrt[ArcSinh[a+b*x]]]/(4*b) -
  Sqrt[Pi]*Erfi[Sqrt[ArcSinh[a+b*x]]]/(4*b) /;
FreeQ[{a,b},x]
```

- Derivation: Inverted iterated integration by parts

- Rule: If $n < -1 \wedge n \neq -2$, then

$$\int \text{ArcSinh}[a + b x]^n \, dx \rightarrow -\frac{(a + b x) \text{ArcSinh}[a + b x]^{n+2}}{b (n+1) (n+2)} + \frac{\sqrt{1 + (a + b x)^2} \text{ArcSinh}[a + b x]^{n+1}}{b (n+1)} + \frac{1}{(n+1) (n+2)} \int \text{ArcSinh}[a + b x]^{n+2} \, dx$$

- Program code:

```
Int[ArcSinh[a_.+b_.*x_]^n_,x_Symbol] :=
  -(a+b*x)*ArcSinh[a+b*x]^(n+2)/(b*(n+1)*(n+2)) +
  Sqrt[1+(a+b*x)^2]*ArcSinh[a+b*x]^(n+1)/(b*(n+1)) +
  Dist[1/((n+1)*(n+2)),Int[ArcSinh[a+b*x]^(n+2),x]] /;
FreeQ[{a,b},x] && RationalQ[n] && n<-1 && n!==-2
```

- Rule: If $n \notin \mathbb{Q} \vee -1 < n < 1$, then

$$\int \text{ArcSinh}[a + b x]^n dx \rightarrow \frac{\text{ArcSinh}[a + b x]^n \text{Gamma}[n + 1, -\text{ArcSinh}[a + b x]]}{2 b (-\text{ArcSinh}[a + b x])^n} - \frac{\text{Gamma}[n + 1, \text{ArcSinh}[a + b x]]}{2 b}$$

- Program code:

```
Int[ArcSinh[a_.+b_.*x_]^n_,x_Symbol] :=
  ArcSinh[a+b*x]^n*Gamma[n+1,-ArcSinh[a+b*x]]/(2*b*(-ArcSinh[a+b*x])^n) -
  Gamma[n+1,ArcSinh[a+b*x]]/(2*b) /;
FreeQ[{a,b,n},x] && (Not[RationalQ[n]] || -1<n<1)
```

$$\int x^m \operatorname{ArcSinh}[a + b x] \, dx$$

■ Reference: CRC 581, A&S 4.6.50

■ Derivation: Integration by parts

■ Rule: If $m + 1 \neq 0$, then

$$\int x^m \operatorname{ArcSinh}[a + b x] \, dx \rightarrow \frac{x^{m+1} \operatorname{ArcSinh}[a + b x]}{m + 1} - \frac{b}{m + 1} \int \frac{x^{m+1}}{\sqrt{1 + a^2 + 2 a b x + b^2 x^2}} \, dx$$

■ Program code:

```
Int[x^m_*ArcSinh[a_+b_*x_],x_Symbol] :=
  x^(m+1)*ArcSinh[a+b*x]/(m+1) -
  Dist[b/(m+1),Int[x^(m+1)/Sqrt[1+a^2+2*a*b*x+b^2*x^2],x]] /;
FreeQ[{a,b,m},x] && NonzeroQ[m+1]
```

$$\int x^m \operatorname{ArcSinh}[a x]^n dx$$

■ Rule:

$$\int \frac{x}{\sqrt{\operatorname{ArcSinh}[a x]}} dx \rightarrow -\frac{1}{4 a^2} \sqrt{\frac{\pi}{2}} \operatorname{Erf}\left[\sqrt{2} \sqrt{\operatorname{ArcSinh}[a x]}\right] + \frac{1}{4 a^2} \sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left[\sqrt{2} \sqrt{\operatorname{ArcSinh}[a x]}\right]$$

■ Program code:

```
Int[x_/Sqrt[ArcSinh[a_.*x_]],x_Symbol] :=
  -Sqrt[Pi/2]*Erf[Sqrt[2]*Sqrt[ArcSinh[a*x]]]/(4*a^2) +
  Sqrt[Pi/2]*Erfi[Sqrt[2]*Sqrt[ArcSinh[a*x]]]/(4*a^2) /;
FreeQ[a,x]
```

■ Rule:

$$\int \frac{x}{\operatorname{ArcSinh}[a x]^{3/2}} dx \rightarrow$$

$$-\frac{2 x \sqrt{1+a^2 x^2}}{a \sqrt{\operatorname{ArcSinh}[a x]}} + \frac{1}{a^2} \sqrt{\frac{\pi}{2}} \operatorname{Erf}\left[\sqrt{2} \sqrt{\operatorname{ArcSinh}[a x]}\right] + \frac{1}{a^2} \sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left[\sqrt{2} \sqrt{\operatorname{ArcSinh}[a x]}\right]$$

■ Program code:

```
Int[x_/ArcSinh[a_.*x_]^(3/2),x_Symbol] :=
  -2*x*Sqrt[1+a^2*x^2]/(a*Sqrt[ArcSinh[a*x]]) +
  Sqrt[Pi/2]*Erf[Sqrt[2]*Sqrt[ArcSinh[a*x]]]/a^2 +
  Sqrt[Pi/2]*Erfi[Sqrt[2]*Sqrt[ArcSinh[a*x]]]/a^2 /;
FreeQ[a,x]
```

- Rule: If $n > 1$, then

$$\int x \operatorname{ArcSinh}[a x]^n dx \rightarrow -\frac{n x \sqrt{1+a^2 x^2} \operatorname{ArcSinh}[a x]^{n-1}}{4 a} + \frac{\operatorname{ArcSinh}[a x]^n}{4 a^2} + \frac{x^2 \operatorname{ArcSinh}[a x]^n}{2} + \frac{n(n-1)}{4} \int x \operatorname{ArcSinh}[a x]^{n-2} dx$$

- Program code:

```
Int[x*ArcSinh[a.*x_]^n_,x_Symbol] :=
  -n*x*Sqrt[1+a^2*x^2]*ArcSinh[a*x]^(n-1)/(4*a) +
  ArcSinh[a*x]^n/(4*a^2) + x^2*ArcSinh[a*x]^n/2 +
  Dist[n*(n-1)/4,Int[x*ArcSinh[a*x]^(n-2),x]] /;
FreeQ[a,x] && RationalQ[n] && n>0
```

- Rule: If $n < -1 \wedge n \neq -2$, then

$$\int x \operatorname{ArcSinh}[a x]^n dx \rightarrow \frac{x \sqrt{1+a^2 x^2} \operatorname{ArcSinh}[a x]^{n+1}}{a(n+1)} - \frac{\operatorname{ArcSinh}[a x]^{n+2}}{a^2(n+1)(n+2)} - \frac{2 x^2 \operatorname{ArcSinh}[a x]^{n+2}}{(n+1)(n+2)} + \frac{4}{(n+1)(n+2)} \int x \operatorname{ArcSinh}[a x]^{n+2} dx$$

- Program code:

```
Int[x*ArcSinh[a.*x_]^n_,x_Symbol] :=
  x*Sqrt[1+a^2*x^2]*ArcSinh[a*x]^(n+1)/(a*(n+1)) -
  ArcSinh[a*x]^(n+2)/(a^2*(n+1)*(n+2)) -
  2*x^2*ArcSinh[a*x]^(n+2)/((n+1)*(n+2)) +
  Dist[4/((n+1)*(n+2)),Int[x*ArcSinh[a*x]^(n+2),x]] /;
FreeQ[a,x] && RationalQ[n] && n<-1 && n!= -2
```

- Rule: If $n > 1$, then

$$\int \frac{\text{ArcSinh}[a x]^n}{x^3} dx \rightarrow -\frac{a n \sqrt{1+a^2 x^2} \text{ArcSinh}[a x]^{n-1}}{2 x} - \frac{\text{ArcSinh}[a x]^n}{2 x^2} + \frac{a^2 n (n-1)}{2} \int \frac{\text{ArcSinh}[a x]^{n-2}}{x} dx$$

- Program code:

```
Int[ArcSinh[a_*x_]^n_/x_^3,x_Symbol] :=
  -a*n*Sqrt[1+a^2*x^2]*ArcSinh[a*x]^(n-1)/(2*x) -
  ArcSinh[a*x]^n/(2*x^2) +
  Dist[a^2*n*(n-1)/2,Int[ArcSinh[a*x]^(n-2)/x,x]] /;
FreeQ[a,x] && RationalQ[n] && n>1
```

- Rule: If $m \in \mathbb{Z} \wedge m < -3 \wedge n > 1$, then

$$\int x^m \text{ArcSinh}[a x]^n dx \rightarrow -\frac{a n x^{m+2} \sqrt{1+a^2 x^2} \text{ArcSinh}[a x]^{n-1}}{(m+1)(m+2)} +$$

$$\frac{x^{m+1} \text{ArcSinh}[a x]^n}{(m+1)} + \frac{a^2 (m+3) x^{m+3} \text{ArcSinh}[a x]^n}{(m+1)(m+2)} -$$

$$\frac{a^2 (m+3)^2}{(m+1)(m+2)} \int x^{m+2} \text{ArcSinh}[a x]^n dx + \frac{a^2 n (n-1)}{(m+1)(m+2)} \int x^{m+2} \text{ArcSinh}[a x]^{n-2} dx$$

- Program code:

```
Int[x_^m_*ArcSinh[a_*x_]^n_,x_Symbol] :=
  -a*n*x^(m+2)*Sqrt[1+a^2*x^2]*ArcSinh[a*x]^(n-1)/((m+1)*(m+2)) +
  x^(m+1)*ArcSinh[a*x]^n/(m+1) +
  a^2*(m+3)*x^(m+3)*ArcSinh[a*x]^n/((m+1)*(m+2)) -
  Dist[a^2*(m+3)^2/((m+1)*(m+2)),Int[x^(m+2)*ArcSinh[a*x]^n,x]] +
  Dist[a^2*n*(n-1)/((m+1)*(m+2)),Int[x^(m+2)*ArcSinh[a*x]^(n-2),x]] /;
FreeQ[a,x] && IntegerQ[m] && RationalQ[n] && m<-3 && n>1
```


- **Rule:** If $m \in \mathbb{Z} \wedge m > 1 \wedge n < -1 \wedge n \neq -2$, then

$$\int x^m \operatorname{ArcSinh}[a x]^n dx \rightarrow \frac{x^m \sqrt{1+a^2 x^2} \operatorname{ArcSinh}[a x]^{n+1}}{a (n+1)} - \frac{m x^{m-1} \operatorname{ArcSinh}[a x]^{n+2}}{a^2 (n+1) (n+2)} - \frac{(m+1) x^{m+1} \operatorname{ArcSinh}[a x]^{n+2}}{(n+1) (n+2)} + \frac{(m+1)^2}{(n+1) (n+2)} \int x^m \operatorname{ArcSinh}[a x]^{n+2} dx + \frac{m (m-1)}{a^2 (n+1) (n+2)} \int x^{m-2} \operatorname{ArcSinh}[a x]^{n+2} dx$$

- **Program code:**

```
Int[x^m*ArcSinh[a_*x_]^n_,x_Symbol] :=
  x^m*Sqrt[1+a^2*x^2]*ArcSinh[a*x]^(n+1)/(a*(n+1)) -
  m*x^(m-1)*ArcSinh[a*x]^(n+2)/(a^2*(n+1)*(n+2)) -
  (m+1)*x^(m+1)*ArcSinh[a*x]^(n+2)/((n+1)*(n+2)) +
  Dist[(m+1)^2/((n+1)*(n+2)),Int[x^m*ArcSinh[a*x]^(n+2),x]] +
  Dist[m*(m-1)/(a^2*(n+1)*(n+2)),Int[x^(m-2)*ArcSinh[a*x]^(n+2),x]] /;
FreeQ[a,x] && IntegerQ[m] && RationalQ[n] && m>1 && n<-1 && n≠-2
```

- **Derivation:** Integration by substitution

- **Basis:** $\frac{\operatorname{ArcSinh}[a x^p]^n}{x} = \frac{1}{p} \operatorname{ArcSinh}[a x^p]^n \operatorname{Coth}[\operatorname{ArcSinh}[a x^p]] \partial_x \operatorname{ArcSinh}[a x^p]$

- **Rule:** If $n \in \mathbb{Z} \wedge n > 0$, then

$$\int \frac{\operatorname{ArcSinh}[a x^p]^n}{x} dx \rightarrow \frac{1}{p} \operatorname{Subst}\left[\int x^n \operatorname{Coth}[x] dx, x, \operatorname{ArcSinh}[a x^p]\right]$$

- **Program code:**

```
Int[ArcSinh[a_*x^p_]^n_/x_,x_Symbol] :=
  Dist[1/p,Subst[Int[x^n*Coth[x],x],x,ArcSinh[a*x^p]]] /;
FreeQ[{a,p},x] && IntegerQ[n] && n>0
```

■ **Derivation: Integration by parts and substitution**

■ **Basis:** If $m \in \mathbb{Z}$, $\frac{x^{m+1} \operatorname{ArcSinh}[a x]^{n-1}}{\sqrt{1+a^2 x^2}} = \frac{1}{a^{m+2}} \operatorname{ArcSinh}[a x]^{n-1} \sinh[\operatorname{ArcSinh}[a x]]^{m+1} \partial_x \operatorname{ArcSinh}[a x]$

■ **Rule:** If $m \in \mathbb{Z} \wedge m \neq -1$, then

$$\int x^m \operatorname{ArcSinh}[a x]^n dx \rightarrow \frac{x^{m+1} \operatorname{ArcSinh}[a x]^n}{m+1} - \frac{n}{a^{m+1} (m+1)} \operatorname{Subst}\left[\int x^{n-1} \sinh[x]^{m+1} dx, x, \operatorname{ArcSinh}[a x]\right]$$

■ **Program code:**

```
Int[x_^m_.*ArcSinh[a_.*x_]^n_,x_Symbol] :=
  x^(m+1)*ArcSinh[a*x]^n/(m+1) -
  Dist[n/(a^(m+1)*(m+1)),Subst[Int[x^(n-1)*Sinh[x]^(m+1),x],x,ArcSinh[a*x]]] /;
FreeQ[{a,n},x] && IntegerQ[m] && m≠-1
```

$$\int (a + b \operatorname{ArcSinh}[c + d x])^n dx$$

- **Derivation:** Integration by substitution

- **Basis:** $(a + b \operatorname{ArcSinh}[c + d x])^n = \frac{1}{d} (a + b \operatorname{ArcSinh}[c + d x])^n \cosh[\operatorname{ArcSinh}[c + d x]] \partial_x \operatorname{ArcSinh}[c + d x]$

- **Rule:** If $n \notin \mathbb{Z}$, then

$$\int (a + b \operatorname{ArcSinh}[c + d x])^n dx \rightarrow \frac{1}{d} \operatorname{Subst}\left[\int (a + b x)^n \cosh[x] dx, x, \operatorname{ArcSinh}[c + d x]\right]$$

- **Program code:**

```
Int[(a_+b_.*ArcSinh[c_+d_.*x_])^n_,x_Symbol] :=
  Dist[1/d,Subst[Int[(a+b*x)^n*Cosh[x],x],x,ArcSinh[c+d*x]]] /;
FreeQ[{a,b,c,d},x] && Not[IntegerQ[n]]
```

$$\int x^m (a + b \operatorname{ArcSinh}[c + d x])^n dx$$

- **Derivation:** Integration by substitution

- **Basis:** If $m \in \mathbb{Z}$, $x^m (a + b \operatorname{ArcSinh}[c + d x])^n = \frac{1}{d^{m+1}} (a + b \operatorname{ArcSinh}[c + d x])^n (\sinh[\operatorname{ArcSinh}[c + d x]] - c)^m \cosh[\operatorname{ArcSinh}[c + d x]] \partial_x \operatorname{ArcSinh}[c + d x]$

- **Rule:** If $m \in \mathbb{Z} \wedge n \notin \mathbb{Z} \wedge m > 0$, then

$$\int x^m (a + b \operatorname{ArcSinh}[c + d x])^n dx \rightarrow \frac{1}{d^{m+1}} \operatorname{Subst} \left[\int (a + b x)^n (\sinh[x] - c)^m \cosh[x] dx, x, \operatorname{ArcSinh}[c + d x] \right]$$

- **Program code:**

```
Int[x_^m.*(a_+b_.*ArcSinh[c_+d_.*x_])^n_,x_Symbol] :=
  Dist[1/d^(m+1),Subst[Int[(a+b*x)^n*(Sinh[x]-c)^m*Cosh[x],x],x,ArcSinh[c+d*x]]] /;
  FreeQ[{a,b,c,d},x] && IntegerQ[m] && Not[IntegerQ[n]] && m>0
```

$$\int \frac{x \operatorname{ArcSinh}[a + b x]^n}{\sqrt{1 + (a + b x)^2}} dx$$

■ **Derivation:** Integration by parts

■ **Rule:** If $n > 1$, then

$$\int \frac{x \operatorname{ArcSinh}[a + b x]^n}{\sqrt{1 + (a + b x)^2}} dx \rightarrow$$

$$\frac{\sqrt{1 + (a + b x)^2} \operatorname{ArcSinh}[a + b x]^n}{b^2} - \frac{n}{b} \int \operatorname{ArcSinh}[a + b x]^{n-1} dx - \frac{a}{b} \int \frac{\operatorname{ArcSinh}[a + b x]^n}{\sqrt{1 + (a + b x)^2}} dx$$

■ **Program code:**

```
Int[x_*ArcSinh[a_+b_*x_]^n_/Sqrt[u_],x_Symbol] :=
  Sqrt[u]*ArcSinh[a+b*x]^n/b^2 -
  Dist[n/b,Int[ArcSinh[a+b*x]^(n-1),x]] -
  Dist[a/b,Int[ArcSinh[a+b*x]^n/Sqrt[u],x]] /;
FreeQ[{a,b},x] && ZeroQ[u-1-(a+b*x)^2] && RationalQ[n] && n>1
```

$$\int u \operatorname{ArcSinh} \left[\frac{c}{a + b x^n} \right]^m dx$$

- **Derivation:** Algebraic simplification

- **Basis:** $\operatorname{ArcSinh}[z] = \operatorname{ArcCsch}\left[\frac{1}{z}\right]$

- **Rule:**

$$\int u \operatorname{ArcSinh} \left[\frac{c}{a + b x^n} \right]^m dx \rightarrow \int u \operatorname{ArcCsch} \left[\frac{a}{c} + \frac{b x^n}{c} \right]^m dx$$

- **Program code:**

```
Int[u_*ArcSinh[c_/(a_+b_*x^n_)]^m_,x_Symbol] :=
  Int[u*ArcCsch[a/c+b*x^n/c]^m,x] /;
FreeQ[{a,b,c,n,m},x]
```

$$\int f^{c \operatorname{ArcSinh}[a+b x]} dx$$

- **Rule:** If $1 - c^2 \operatorname{Log}[f]^2 \neq 0$, then

$$\int f^{c \operatorname{ArcSinh}[a+b x]} dx \rightarrow \frac{a + b x - c \sqrt{1 + (a + b x)^2} \operatorname{Log}[f]}{b (1 - c^2 \operatorname{Log}[f]^2)} f^{c \operatorname{ArcSinh}[a+b x]}$$

- **Program code:**

```
Int[f^(c_*ArcSinh[a_+b_*x_]),x_Symbol] :=
  f^(c*ArcSinh[a+b*x])*(a+b*x-c*Sqrt[1+(a+b*x)^2]*Log[f])/(b*(1-c^2*Log[f]^2)) /;
FreeQ[{a,b,c,f},x] && NonzeroQ[1-c^2*Log[f]^2]
```

$$\int \text{ArcSinh}[u] \, dx$$

- **Derivation:** Integration by parts

- **Rule:** If u is free of inverse functions, then

$$\int \text{ArcSinh}[u] \, dx \rightarrow x \text{ArcSinh}[u] - \int \frac{x \partial_x u}{\sqrt{1+u^2}} \, dx$$

- **Program code:**

```
Int[ArcSinh[u_],x_Symbol] :=
  x*ArcSinh[u] -
  Int[Regularize[x*D[u,x]/Sqrt[1+u^2],x],x] /;
InverseFunctionFreeQ[u,x] && Not[FunctionOfExponentialOfLinear[u,x]]
```


$$\int x^m e^{n \operatorname{ArcSinh}[u]} dx$$

■ **Derivation:** Algebraic simplification

■ **Basis:** $e^{n \operatorname{ArcSinh}[z]} = \left(z + \sqrt{1 + z^2} \right)^n$

■ **Rule:** If $n \in \mathbb{Z} \wedge u$ is a polynomial in x , then

$$\int e^{n \operatorname{ArcSinh}[u]} dx \rightarrow \int \left(u + \sqrt{1 + u^2} \right)^n dx$$

■ **Program code:**

```
Int[E^(n_.*ArcSinh[u_]), x_Symbol] :=
  Int[(u+Sqrt[1+u^2])^n,x] /;
IntegerQ[n] && PolynomialQ[u,x]
```

■ **Derivation:** Algebraic simplification

■ **Basis:** $e^{n \operatorname{ArcSinh}[z]} = \left(z + \sqrt{1 + z^2} \right)^n$

■ **Rule:** If $n \in \mathbb{Z} \wedge u$ is a polynomial in x , then

$$\int x^m e^{n \operatorname{ArcSinh}[u]} dx \rightarrow \int x^m \left(u + \sqrt{1 + u^2} \right)^n dx$$

■ **Program code:**

```
Int[x_^m_.*E^(n_.*ArcSinh[u_]), x_Symbol] :=
  Int[x^m*(u+Sqrt[1+u^2])^n,x] /;
RationalQ[m] && IntegerQ[n] && PolynomialQ[u,x]
```